


ComPacT

NSX100/160/250B (25 KA 380/415 V)

**SIMPLY
BUY** 

ComPacT NSX100/160/250B

With thermal-magnetic trip unit TM-D



DB438166.ai

ComPacT NSX100B (25 kA at 380/415 V)

Rating	3P 3d	4P 3d	4P 4d
TM16D	C10B3TM016	C10B4TM016	C10B4TM016
TM25D	C10B3TM025	C10B6TM025	C10B6TM025
TM32D	C10B3TM032	C10B6TM032	C10B6TM032
TM40D	C10B3TM040	C10B6TM040	C10B6TM040
TM50D	C10B3TM050	C10B6TM050	C10B6TM050
TM63D	C10B3TM063	C10B6TM063	C10B6TM063
TM80D	C10B3TM080	C10B6TM080	C10B6TM080
TM100D	C10B3TM100	C10B3TM100	C10B3TM100


ComPacT NSX160B (25 kA at 380/415 V)

TM80D	C16B3TM080	C16B6TM080	C16B4TM080
TM100D	C16B3TM100	C16B6TM100	C16B4TM100
TM125D	C16B3TM125	C16B6TM125	C16B4TM125
TM160D	C16B3TM160	C16B6TM160	C16B4TM160

ComPacT NSX250B (25 kA at 380/415 V)

TM125D	C25B3TM125	C25B6TM125	C25B4TM125
TM160D	C25B3TM160	C25B6TM160	C25B4TM160
TM200D	C25B3TM200	C25B6TM200	C25B4TM200
TM250D	C25B3TM250	C25B6TM250	C25B4TM250

With electronic trip unit MicroLogic 2.2 (LS_I protection)



DB438167.ai

ComPacT NSX100B (25 kA at 380/415 V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40	C10B32D040	C10B42D040
100	C10B32D100	C10B42D100


ComPacT NSX160B (25 kA at 380/415 V)

100	C16B32D100	C16B42D100
160	C16B32D160	C16B42D160

ComPacT NSX250B (25 kA at 380/415 V)

100	C25B32D100	C25B42D100
160	C25B32D160	C25B42D160
250	C25B32D250	C25B42D250

With electronic trip unit MicroLogic Vigi 4.2 (LS_IIR protection)



DB438168.ai

ComPacT NSX100B (25 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	C10B34V040	C10B44V040
100 A	C10B34V100	C10B44V100


ComPacT NSX160B (25 kA 380/415V)

100 A	C16B34V100	C16B44V100
160 A	C16B34V160	C16B44V160

ComPacT NSX250B (25 kA 380/415V)

100 A	C25B34V100	C25B44V100
160 A	C25B34V160	C25B44V160
250 A	C25B34V250	C25B44V250

With electronic trip unit MicroLogic Vigi 7.2 E (LSIR protection)



DB438567.ai

ComPacT NSX100B (25 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	-	C10B47E040
100 A	-	C10B47E100

ComPacT NSX160B (25 kA 380/415V)


100 A	-	100 A - C16B47E100
160 A	-	160 A - C16B47E160

ComPacT NSX250B (25 kA 380/415V)

100 A	-	C25B47E100
160 A	-	C25B47E160
250 A	-	C25B47E250

ComPacT NSX100/160/250F

With thermal-magnetic trip unit TM-D



DB438165.ai

ComPacT NSX100F (36 kA at 380/415 V)

Rating	3P 3d	4P 3d	4P 4d
TM16D	C10F3TM016	C10F6TM016	C10F4TM016
TM25D	C10F3TM025	C10F6TM025	C10F4TM025
TM32D	C10F3TM032	C10F6TM032	C10F4TM032
TM40D	C10F3TM040	C10F6TM040	C10F4TM040
TM50D	C10F3TM050	C10F6TM050	C10F4TM050
TM63D	C10F3TM063	C10F6TM063	C10F4TM063
TM80D	C10F3TM080	C10F6TM080	C10F4TM080
TM100D	C10F3TM100	C10F6TM100	C10F4TM100


ComPacT NSX160F (36 kA at 380/415 V)

TM80D	C16F3TM080	C16F6TM080	C16F4TM080
TM100D	C16F3TM100	C16F6TM100	C16F4TM100
TM125D	C16F3TM125	C16F6TM125	C16F4TM125
TM160D	C16F3TM160	C16F6TM160	C16F4TM160

ComPacT NSX250F (36 kA at 380/415 V)

TM125D	C25F3TM125	C25F6TM125	C25F4TM125
TM160D	C25F3TM160	C25F6TM160	C25F4TM160
TM200D	C25F3TM200	C25F6TM200	C25F4TM200
TM250D	C25F3TM250	C25F6TM250	C25F4TM250

With electronic trip unit MicroLogic 2.2 (LS_I protection)



DB438166.ai

ComPacT NSX100F (36 kA at 380/415 V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40	C10F32D040	C10F42D040
100	C10F32D100	C10F42D100


ComPacT NSX160F (36 kA at 380/415 V)

100	C16F32D100	C16F42D100
160	C16F32D160	C16F42D160

ComPacT NSX250F (36 kA at 380/415 V)

100	C25F32D100	C25F42D100
160	C25F32D160	C25F42D160
250	C25F32D250	C25F42D250

With electronic trip unit MicroLogic Vigi 4.2 (LS_I IR protection)



DB438167.ai

ComPacT NSX100F (36 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	C10F34V040	C10F44V040
100 A	C10F34V100	C10F44V100


ComPacT NSX160F (36 kA 380/415V)

100 A	C16F34V100	C16F44V100
160 A	C16F34V160	C16F44V160

ComPacT NSX250F (36 kA 380/415V)

100 A	C25F34V100	C25F44V100
160 A	C25F34V160	C25F44V160
250 A	C25F34V250	C25F44V250

With electronic trip unit MicroLogic Vigi 7.2 E (LS_I IR protection + embedded energy management)



DB438567.ai

ComPacT NSX100F (36 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	-	C10F47E040
100 A	-	C10F47E100

ComPacT NSX160F (36 kA 380/415V)

100 A	-	C16F47E100
160 A	-	C16F47E160

ComPacT NSX250F (36 kA 380/415V)

100 A	-	C25F47E100
160 A	-	C25F47E160
250 A	-	C25F47E250


ComPacT

NSX100/160/250F (36 KA 380/415 V)

**SIMPLY
BUY** 

ComPacT NSX100/160/250

With magnetic trip unit MA



DB438168.ai

ComPacT NSX100F (36 kA at 380/415 V)

Rating

3P 3d

MA2.5

C10F3MA003

MA6.3

C10F3MA007

MA12.5

C10F3MA013

MA25

C10F3MA025

MA50

C10F3MA050

MA100

C10F3MA100

ComPacT NSX160F (36 kA at 380/415 V)

MA100

C16F3MA100

MA150

C16F3MA150

ComPacT NSX250F (36 kA at 380/415 V)

MA150

C25F3MA150

MA220

C25F3MA220


ComPacT

NSX100/160/250N (50 KA 380/415 V)

**SIMPLY
BUY** 

ComPacT NSX100/160/250N

With thermal-magnetic trip unit
TM-D



DB438165.ai

ComPacT NSX100N (50 kA at 380/415 V)

Rating	3P 3d	4P 3d	4P 4d
TM16D	C10N3TM016	C10N6TM016	C10N4TM016
TM25D	C10N3TM025	C10N6TM025	C10N4TM025
TM32D	C10N3TM032	C10N6TM032	C10N4TM032
TM40D	C10N3TM040	C10N6TM040	C10N4TM040
TM50D	C10N3TM050	C10N6TM050	C10N4TM050
TM63D	C10N3TM063	C10N6TM063	C10N4TM063
TM80D	C10N3TM080	C10N6TM080	C10N4TM080
TM100D	C10N3TM100	C10N6TM100	C10N4TM100


ComPacT NSX160N (50 kA at 380/415 V)

TM80D	C16N3TM080	C16N6TM080	C16N4TM080
TM100D	C16N3TM100	C16N6TM100	C16N4TM100
TM125D	C16N3TM125	C16N6TM125	C16N4TM125
TM160D	C16N3TM160	C16N6TM160	C16N4TM160

ComPacT NSX250N (50 kA at 380/415 V)

TM125D	C25N3TM125	C25N6TM125	C25N4TM125
TM160D	C25N3TM160	C25N6TM160	C25N4TM160
TM200D	C25N3TM200	C25N6TM200	C25N4TM200
TM250D	C25N3TM250	C25N6TM250	C25N4TM250

With electronic trip unit
MicroLogic 2.2 (LS₀ protection)



DB438166.ai

ComPacT NSX100N (50 kA at 380/415 V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	C10N32D040	C10N42D040
100 A	C10N32D100	C10N42D100


ComPacT NSX160N (50 kA at 380/415 V)

100 A	C16N32D100	C16N42D100
160 A	C16N32D160	C16N42D160

ComPacT NSX250N (50 kA at 380/415 V)

100 A	C25N32D100	C25N42D100
160 A	C25N32D160	C25N42D160
250 A	C25N32D250	C25N42D250

With electronic trip unit MicroLogic
Vigi 4.2 (LS₀IR protection)



DB438167.ai

ComPacT NSX100N (50 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	C10N34V040	C10N44V040
100 A	C10N34V100	C10N44V100


ComPacT NSX160N (50 kA 380/415V)

100 A	C16N34V100	C16N44V100
160 A	C16N34V160	C16N44V160

ComPacT NSX250N (50 kA 380/415V)

100 A	C25N34V100	C25N44V100
160 A	C25N34V160	C25N44V160
250 A	C25N34V250	C25N44V250

With electronic trip unit MicroLogic Vigi
7.2 E (LSIR protection + embedded energy
management)



DB438567.ai

ComPacT NSX100N (50 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	-	C10N47E040
100 A	-	C10N47E100

ComPacT NSX160N (50 kA 380/415V)

100 A	-	100 A - C16N47E100
160 A	-	160 A - C16N47E160

ComPacT NSX250N (50 kA 380/415V)

100 A	-	C25N47E100
160 A	-	C25N47E160
250 A	-	C25N47E250


ComPacT

NSX100/160/250N (50 kA 380/415 V)

**SIMPLY
BUY** 

ComPacT NSX100/160/250N

With magnetic trip unit MA



DB438168.ai

ComPacT NSX100N (50 kA at 380/415 V)

Rating

3P 3d

MA2.5

C10N3MA003

MA6.3

C10N3MA007

MA12.5

C10N3MA013

MA25

C10N3MA025

MA50

C10N3MA050

MA100

C10N3MA100

ComPacT NSX160F (36 kA at 380/415 V)

MA100

C16N3MA100

MA150

C16N3MA150

ComPacT NSX250F (36 kA at 380/415 V)

MA150

C25N3MA150

MA220


C25N3MA220

ComPacT

NSX100/160/250H (70 kA 380/415 V)

ComPacT NSX100/160/250H

With thermal-magnetic trip unit
TM-D



DB438165.ai

ComPacT NSX100H (70 kA at 380/415 V)

Rating	3P 3d	4P 3d	4P 4d
TM16D	C10H3TM016	C10H6TM016	C10H4TM016
TM25D	C10H3TM025	C10H6TM025	C10H4TM025
TM32D	C10H3TM032	C10H6TM032	C10H4TM032
TM40D	C10H3TM040	C10H6TM040	C10H4TM040
TM50D	C10H3TM050	C10H6TM050	C10H4TM050
TM63D	C10H3TM063	C10H6TM063	C10H4TM063
TM80D	C10H3TM080	C10H6TM080	C10H4TM080
TM100D	C10H3TM100	C10H6TM100	C10H4TM100


ComPacT NSX160H (70 kA at 380/415 V)

TM80D	C16H3TM080	C16H6TM080	C16H4TM080
TM100D	C16H3TM100	C16H6TM100	C16H4TM100
TM125D	C16H3TM125	C16H3TM125	C16H4TM125
TM160D	C16H3TM160	C16H3TM160	C16H4TM160

ComPacT NSX250H (70 kA at 380/415 V)

TM125D	C25H3TM125	C25H6TM125	C25H4TM125
TM160D	C25H3TM160	C25H6TM160	C25H4TM160
TM200D	C25H3TM200	C25H6TM200	C25H4TM200
TM250D	C25H3TM250	C25H6TM250	C25H4TM250

With electronic trip unit MicroLogic
2.2 (LS_I protection)



DB438166.ai

ComPacT NSX100H (70 kA at 380/415 V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	C10H32D040	C10H42D040
100 A	C10H32D100	C10H42D100


ComPacT NSX160H (70 kA at 380/415 V)

100 A	C16H32D100	C16H42D100
160 A	C16H32D160	C16H42D160

ComPacT NSX250H (70 kA at 380/415 V)

100 A	C25H32D100	C25H42D100
160 A	C25H32D160	C25H42D160
250 A	C25H32D250	C25H42D250

With electronic trip unit MicroLogic
Vigi 4.2 (LS_IIR protection)



DB438167.ai

ComPacT NSX100H (70 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	C10H34V040	40 A C10H34V040 C10H44V040
100 A	C10H34V100	100 A C10H34V100 C10H44V100


ComPacT NSX160H (70 kA 380/415V)

100 A	C16H34V100	C16H44V100
160 A	C16H34V160	C16H44V160

ComPacT NSX250H (70 kA 380/415V)

100 A	C25H34V100	C25H44V100
160 A	C25H34V160	C25H44V160
250 A	C25H34V250	C25H44V250

With electronic trip unit MicroLogic
Vigi 4.2 (LS_IIR protection)



DB438567.ai

ComPacT NSX100H (70 kA 380/415V)

Rating	3P 3d	4P 3d, 4d, 3d + N/2
40 A	-	C10H47E040
100 A	-	C10H47E100

ComPacT NSX160H (70 kA 380/415V)

100 A	-	C16H47E100
160 A	-	C16H47E160

ComPacT NSX250H (70 kA 380/415V)

100 A	-	C25H47E100
160 A	-	C25H47E160
250 A	-	C25H47E250


ComPacT

NSX100/160/250H (70 kA 380/415 V)

**SIMPLY
BUY** 

ComPacT NSX100/160/250H

With magnetic trip unit MA



DB438168.ai

ComPacT NSX100H (70 kA at 380/415 V)

Rating

3P 3d

MA2.5

C10H3MA003

MA6.3

C10H3MA007

MA12.5

C10H3MA013

MA25

C10H3MA025

MA50

C10H3MA050

MA100

C10H3MA100

ComPacT NSX160H (70 kA at 380/415 V)

MA100

C16H3MA100

MA150

C16H3MA150

ComPacT NSX250H (70 kA at 380/415 V)


MA150

C25H3MA150

MA220

C25H3MA220

With electronic trip unit MicroLogic
2.2 M (LSI motor protection)



DB438166.ai

ComPacT NSX100H (70 kA at 380/415 V)

Rating

3P 3d

25 A

C10H32M025

50 A

C10H32M050

100 A

C10H32M100

ComPacT NSX160H (70 kA at 380/415 V)

100 A

C16H32M100

150 A

C16H32M150

ComPacT NSX250H (70 kA at 380/415 V)

150 A


C25H32M150

220 A

C25H32M220

ComPacT NSX100/250R

With thermal-magnetic trip unit
TM-D



DB438165.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

4P 4d

TM40D

C10R3TM040

C10R4TM040

TM50D

C10R3TM050

C10R4TM050

TM63D

C10R3TM063

C10R4TM063

TM80D

C10R3TM080

C10R4TM080

TM100D

C10R3TM100

C10R4TM100

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

TM125D

C25R3TM125

C25R4TM125

TM160D

C25R3TM160

C25R4TM160

TM200D

C25R3TM200


C25R4TM200

TM250D

C25R3TM250

C25R4TM250

With electronic trip unit MicroLogic
2.2 (LSI protection)



DB438166.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

4P 3d, 4d, 3d + N/2

40 A

C10R32D040

C10R42D040

100 A

C10R32D100

C10R42D100

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

100 A

C25R32D100

C25R42D100

160 A

C25R32D160


C25R42D160

250 A

C25R32D250

C25R42D250

With electronic trip unit MicroLogic
5.2 E (LSI protection, energy meter)



DB438169.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

4P 3d, 4d, 3d + N/2

40 A

C10R35E040

C10R45E040

100 A

C10R35E100

C10R45E100

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

100 A

C25R35E100

C25R45E100

160 A

C25R35E160


C25R45E160

250 A

C25R35E250

C25R45E250

With electronic trip unit MicroLogic
6.2 E (LSIG protection, energy meter)



DB438169.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

4P 3d, 4d, 3d + N/2

40 A

C10R36E040

C10R46E040

100 A

C10R36E100

C10R46E100

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

100 A

C25R36E100

C25R46E100

160 A

C25R36E160

C25R46E160


250 A

C25R36E250

C25R46E250

ComPacT NSX100/250R

With magnetic trip unit MA



DB438168.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

MA12.5
MA25
MA50
MA100


MA12.5 C10R3MA013
MA25 C10R3MA025
MA50 C10R3MA050
MA100 C10R3MA100

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

MA150
MA220

MA150 C25R3MA150
MA220 C25R3MA220

With electronic trip unit MicroLogic 2.2 M (LSIG motor protection)



DB438169.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

25 A
50 A
100 A


C10R32M025
C10R32M050
C10R32M100

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

150 A
220 A

C25R32M150
C25R32M220

With electronic trip unit MicroLogic 6.2 E-M (LSIG motor protection, energy meter)



DB438169.ai

ComPacT NSX100R (200 kA at 380/415 V - 45 kA at 690 V)

Rating

3P 3d

25 A
50 A
80 A

C10R36M025
C10R36M050
C10R36M080

ComPacT NSX250R (200 kA at 380/415 V - 45 kA at 690 V)

150 A
220 A

C25R36M150
C25R36M220